

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S159	26	replica\$5 stor\$4 (node OR computer OR data\$1base) (coherent\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2008/09/19 14:21
S160	101	replica\$5 stor\$4 (node OR computer OR data\$1base) (coherent\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/09/19 14:21
S161	19	(plurality OR multip\$4) NEAR3 (node OR device OR data\$1base) AND S159	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 14:21
S162	60	(plurality OR multip\$4) NEAR3 (node OR device OR data\$1base) AND S160	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 14:21
S163	6591	(707/201-204).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/19 14:21
S164	5	S163 AND (plurality OR multip\$4) NEAR3 (node OR device OR data\$1base) AND S160	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 14:21
S165	19	S161 AND (plurality OR multip\$4) NEAR3 (node OR device OR data\$1base) AND S159	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 14:21
S166	40	("5544347" "5710922" "5832489" "5832499" "5845293" "5862325" "5890218" "5926624" "5926816" "5933653" "5960216" "5968170" "5987550" "6000000" "6006274" "6088717" "6092080" "6101508" "6128734" "6154744" "6157991" "6182166" "6233687" "6237008" "6275831" "6308284" "6324654" "6405294" "6434156").PN. OR ("6718347").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/19 14:21

S167	11657	((707/9,201-204) or (709/246,248)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/19 14:21
S168	7	S167 AND (replica\$5 stor\$4 (node OR computer OR data \$1base) (coherent\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/09/19 14:21
S169	5	S167 AND (plurality OR multi\$4) NEAR3 (node OR device OR data\$1base) AND S160	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 14:21
S170	111	replica WITH time\$1stamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 14:21
S171	16	replica WITH time\$1stamp AND (coherent\$4 OR in \$1coherent\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 14:21
S172	5	(replica WITH time\$1stamp AND (coherent\$4 OR in \$1coherent\$4)) AND S167	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 14:21
S173	16	("20020065919" "20020114341" "20020147815" "20030125696" "5434994" "5689706" "5774717" "6173293" "6584548" "6601070" "6611848" "6625604" "6748381" "6782389" "6839769" "6874001").PN.	US-PGPUB; USPAT	OR	ON	2008/09/19 14:21
S174	17	((("7152076") or ("6324654") or ("6910098") or ("6308284") or ("6952758") or ("6718347") or ("6874001") or ("6748381")).PN.	USPAT; DERWENT	OR	OFF	2008/09/19 14:21
S175	8	replica\$5 updat\$5 stor\$4 (node OR computer OR data \$1base) (coherent\$3) S174	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/19 14:21
S176	4	replica\$5 updat\$5 stor\$4 (node OR computer OR data \$1base) (coherent\$3) time \$1stamp S174	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/19 14:21

S177	8	replica\$5 updat\$5 stor\$4 (mode OR computer OR data \$1base OR file OR content) (coheren\$3) S174	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/19 14:21
S178	2496	replica\$5 updat\$5 stor\$4 (mode OR computer OR data \$1base OR file OR content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/09/19 14:21
S179	62	S178 SAME (un\$1available in\$1accessible un \$1reachable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 14:21
S180	11657	((707/9,201-204) or (709/246,248)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/19 14:21
S181	23	S179 AND S180	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 14:21
S182	16	S179 AND S180 AND @ad<"20031231"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 14:21
S183	335866	(replica\$5 OR updat\$5) (mode OR computer OR data \$1base OR file OR content OR replica)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/09/19 14:21
S184	447	S183 SAME (un\$1available in\$1accessible un \$1reachable) SAME list\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 14:21
S185	18	S184 AND S180 AND @ad<"20031231"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 14:21
S186	2827	(replica\$5 OR coheren\$5 OR updat\$5) WITH (un \$1available in\$1accessible un \$1reachable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 14:21
S187	4248	(replica\$5 OR updat\$5) (information OR data\$1base OR file OR content OR replica OR object) (un \$1available OR in \$1accessible OR un \$1reachable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/09/19 14:21

S188	1097	(replica\$5 OR updat\$5) (information OR data\$1 base OR file OR content OR replica OR object) (un \$1 available OR in \$1 accessible OR un \$1 reachable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2008/09/19 14:21
S189	4490	(replica\$5 OR updat\$5) (mode OR information OR data\$1 base OR file OR content OR replica OR object) (un\$1 available OR in \$1 accessible OR un \$1 reachable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/09/19 14:21
S190	238	(replica\$5 OR coherenc\$5 OR updat\$5) WITH (un \$1 available in\$1 accessible un \$1 reachable) AND S180	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 14:21
S191	129	(replica\$5 OR updat\$5) (information OR data\$1 base OR file OR content OR replica OR object) (un \$1 available OR in \$1 accessible OR un \$1 reachable) AND S180	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2008/09/19 14:21
S192	384	(replica\$5 OR updat\$5) (mode OR information OR data\$1 base OR file OR content OR replica OR object) (un\$1 available OR in \$1 accessible OR un \$1 reachable) AND S180	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/09/19 14:21
S193	5	(replica\$5 OR updat\$5) (mode OR information OR data\$1 base OR file OR content OR replica OR object) (un\$1 available OR in \$1 accessible OR un \$1 reachable) AND S180 AND time\$1 stamp AND coheren\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/09/19 14:21
S194	11	(replica\$5 OR updat\$5) (mode OR information OR data\$1 base OR file OR content OR replica OR object) (un\$1 available OR in \$1 accessible OR un \$1 reachable) AND S180 AND time\$1 stamp AND coheren\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/09/19 14:21

S195	2	(replica\$5 OR update\$5) (mode OR information OR data\$1 base OR file OR content OR replica OR object) (url\$1 available OR in \$1 accessible OR un \$1 reachable) AND \$180 AND time\$1 stamp AND coherent\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2008/09/19 14:21
S196	43	lag\$4 NEAR3 replica	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 14:21
S197	22	S196 AND @ad<"20031231"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 14:21
S198	7	S196 AND @ad<"20031231" AND replica\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 14:21
S199	2	S196 AND @ad<"20031231" AND replica\$4 AND (un \$1 available OR in \$1 accessible OR un \$1 reachable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 14:21
S200	12	((("7152076") or ("6324654") or ("6910098") or ("6308284") or ("6952758") or ("6718347") or ("6874001") or ("6748381") or ("7039661") or ("6421687") or ("5806075") or ("20020188624"))).PN.	US-PGPUB; USPAT	OR	OFF	2008/09/19 14:21
S201	4	S200 AND replica\$4 AND (url\$1 available OR in \$1 accessible OR un \$1 reachable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 14:21
S202	5	S200 AND replica\$6 AND (url\$1 available OR in \$1 accessible OR un \$1 reachable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 14:21
S203	37	(non\$1 coherent\$5 OR in \$1 coherent\$5) NEAR3 replica \$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 14:21

S204	30	S203 AND @ad<"20031231"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 14:21
S205	2	("20030120780").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/19 14:21
S220	1	replica\$4 (data OR file OR object) (plural\$4 OR multipl \$4) NEAR2 (node OR device OR computer) (chheren\$4 OR synch\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2008/09/19 14:21
S221	7	replica\$4 (data OR file OR object) (plural\$4 OR multipl \$4) NEAR2 (node OR device OR computer) (chheren\$4 OR synch\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/09/19 14:21
S222	28016	P2P OR (peer\$1 to\$1 peer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/09/19 14:21
S223	12	replica\$5 (node OR computer OR data\$1 base) (coheren\$3) S222	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/09/19 14:21
S224	103	coherenc\$3 NEAR4 replica \$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 14:21
S225	11657	((707/9,201-204) or (709/246,248)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/19 14:21
S226	9	S224 AND S225	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 14:21
S227	2	("5,434,994").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/19 14:21
S228	19	S224 AND (un\$1 available in \$1 accessible un\$1 reachable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 14:21

S229	101	replica\$5 stor\$4 (node OR computer OR data\$1base) (coherent\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/09/19 14:21
S230	595	list\$4 NEAR3 (replica\$4 OR data OR (data NEAR set OR object OR (data NEAR object)) NEAR4 (coherent OR replicated OR synchron\$4 OR consistent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 14:21
S231	2	replica\$5 stor\$4 (node OR computer OR data\$1base) (coherent\$3) AND S230	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/09/19 14:21
S232	2	("5765171").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/19 14:21
S233	2	("6516327").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/19 14:21
S234	6	((("6516327") or ("5434994") or ("5765171"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/19 14:21
S235	33	(P2P OR (Peer\$1to\$1peer)) (replica\$5 OR copy\$5) (coherent\$5 OR consistent\$5) (updat\$4 OR synchron\$5) (data OR data\$1set OR file OR replica OR data\$1base)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/09/19 14:21
S236	4	(P2P OR (Peer\$1to\$1peer)) (replica\$5 OR copy\$5) (coherent\$5 OR consistent\$5) (updat\$4 OR synchron\$5) (data OR data\$1set OR file OR replica OR data\$1base)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2008/09/19 14:21
S237	12	S235 AND @ad<"20031231"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 14:21
S238	5	S237 AND (un\$1available in \$1accessible un\$1reachable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 14:21

S239	5	S237 AND (un\$1 available in \$1 accessible un\$1 reachable off\$1 line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 14:21
S240	1993	(mode OR terminal OR computer) WITH (initial\$4 OR trigger\$4 OR perform\$5 OR start\$4) WITH (synchroniz\$5 OR replication) WITH (data OR object OR information)	USPAT	OR	OFF	2008/09/19 14:21
S241	4266	(mode OR terminal OR computer) WITH (initial\$4 OR trigger\$4 OR perform\$5 OR start\$4) WITH (synchroniz\$5 OR replication) WITH (data OR object OR information)	US-PGPUB; USPAT; DERWENT	OR	OFF	2008/09/19 14:21
S242	81	(mode OR terminal OR computer) WITH (initial\$4 OR trigger\$4 OR perform\$5 OR start\$4) WITH (synchroniz\$5 OR replication) WITH (data OR object OR information) SAME (success\$4 OR un\$1 success\$4)	US-PGPUB; USPAT; DERWENT	OR	OFF	2008/09/19 14:21
S243	44	S242 AND @ad<"20031231"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 14:21
S244	22	(mode OR terminal OR computer) WITH (initial\$4 OR trigger\$4 OR perform\$5 OR start\$4) WITH (synchroniz\$5 OR replication) WITH (data OR object OR information) AND (success\$4 OR un\$1 success\$4) AND 707/202. ccls.	US-PGPUB; USPAT; DERWENT	OR	OFF	2008/09/19 14:21

S245	81	(node OR terminal OR computer) WITH (initiat\$4 OR trigger\$4 OR perform\$5 OR start\$4) WITH (synchroniz\$5 OR replication) WITH (data OR object OR information) AND (success\$4 OR un\$1success\$4)AND (707/202.ccls. OR 707/201.ccls. OR 707/203.ccls.)	US-PGPUB; USPAT; DERWENT	OR	OFF	2008/09/19 14:21
S246	2	(node OR terminal OR computer) WITH (initiat\$4 OR trigger\$4 OR perform\$5 OR start\$4) WITH (synchroniz\$5 OR replication) WITH (data OR object OR information) AND (success\$4 OR un\$1success\$4)AND (707/202.ccls. OR 707/201.ccls. OR 707/203.ccls.) AND (replicat\$4 NEAR3 (content OR data) NEAR3 object)	US-PGPUB; USPAT; DERWENT	OR	OFF	2008/09/19 14:21
S247	4	full\$1mesh NEAR2 replication	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/19 14:21
S248	4	full\$1mesh NEAR2 replication AND attempt AND replica	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/19 14:21
S249	4	full\$1mesh NEAR2 replication AND attempt AND replica AND (un\$1success\$5 OR succes\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/19 14:21
S250	4	S249 AND (connection OR session OR communicat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/19 14:21
S251	4	S249 AND ((connection OR session OR communicat\$5) SAME (server OR node OR device))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/19 14:21
S252	34	("5434994" "5586310" "5588147" "5594921" "5613079" "5617568" "5675787" "5689700" "5692180").PN. OR ("5832225").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/19 14:21
S253	19	S252 AND (replica\$5 WITH object)	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/19 14:21

S254	13	S253 AND ((connection OR session OR communicat\$5) SAME (server OR node OR device))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/19 14:21
S255	6	mesh NEAR2 replication SAME replica	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/19 14:21
S256	556	replication SAME replica SAME (connect\$5 OR communicat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/19 14:21
S257	59	replication SAME replica SAME (connect\$5 OR communicat\$4) SAME (node OR server) SAME (origin\$ OR master)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/19 14:21
S258	6	S257 AND (list NEAR2 (replicat\$5 OR coherent\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/19 14:21
S259	1	S257 AND (list NEAR2 (replicat\$5 OR coherent\$6)) AND (mesh NEAR3 replicat \$4) AND (server WITH list) AND (success\$5 OR un \$1success\$5) AND (partial NEAR3 replication) AND ((each OR every) NEAR3 (node OR server OR machine))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/19 14:21
S260	1	S257 AND (list NEAR2 (replicat\$5 OR coherent\$6)) AND (mesh NEAR3 replicat \$4) AND (server WITH list) AND (success\$5 OR un \$1success\$5) AND (partial NEAR3 replication) AND ((each OR every) NEAR3 (node OR server OR machine)) AND (communicat\$5 WITH (direct\$5 OR bridg\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/19 14:21
S261	34	("20020065919" "20020114341" "20020147815" "5434994" "5689706" "5774717" "6173293" "6584548" "6601070" "6611848" "6625604" "6748381" "6782389" "6839769" "6874001").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/19 14:21

S262	11657	((707/9,201-204) or (709/246,248)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/19 14:21
S263	3	S262 AND (mesh WITH replicat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/19 14:21
S264	59	replication SAME replica SAME (connect\$5 OR communicat\$4) SAME (node OR server) SAME (origin\$ OR master)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/19 14:21
S265	1	S264 AND (list NEAR2 (replicat\$5 OR coherent\$6)) AND (mesh NEAR3 replicat \$4) AND (server WITH list) AND (success\$5 OR un \$1success\$5) AND (partial NEAR3 replication) AND ((each OR every) NEAR3 (node OR server OR machine)) AND (communicat\$5 WITH (direct\$5 OR bridg\$)) AND site\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/19 14:21
S266	1	S264 AND (list NEAR2 (replicat\$5 OR coherent\$6)) AND (mesh NEAR3 replicat \$4) AND (server WITH list) AND (success\$5 OR un \$1success\$5) AND (partial NEAR3 replication) AND ((each OR every) NEAR3 (node OR server OR machine)) AND (communicat\$5 WITH (direct\$5 OR bridg\$)) AND site\$2 AND (full ADJ mesh)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/19 14:21
S267	1	S264 AND (list NEAR2 (replicat\$5 OR coherent\$6)) AND (mesh NEAR3 replicat \$4) AND (server WITH list) AND (success\$5 OR un \$1success\$5) AND (partial NEAR3 replication) AND ((each OR every) NEAR3 (node OR server OR machine)) AND (communicat\$5 WITH (direct\$5 OR bridg\$)) AND site\$2 AND (full ADJ mesh)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/19 14:21

		AND bridgehead				
S268	1	S264 AND (list NEAR2 (replicat\$5 OR coherent\$6)) AND (mesh NEAR3 replicat \$4) AND (server WITH list) AND (success\$5 OR un \$1 success\$5) AND (partial NEAR3 replication) AND ((each OR every) NEAR3 (node OR server OR machine)) AND (communicat\$5 WITH (direct\$5 OR bridg\$5)) AND site\$2 AND (full ADJ mesh) AND bridgehead AND (store NEAR3 forward\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/19 14:21
S269	1	(US-7035922-\$).did.	USPAT	OR	ON	2008/09/19 14:21
S270	5	(US-7035922-\$ or US-7200847-\$ or US-7072911-\$ or US-6457011-\$ or US-5832225-\$).did.	USPAT	OR	ON	2008/09/19 14:21
S273	5	S270 AND (success\$5 WITH replication)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/19 14:21
S274	2	S270 AND (success\$5 WITH replication) AND mesh NEAR2 replication	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/19 14:21
S275	1	S270 AND (success\$5 WITH replication) AND mesh NEAR2 replication AND (time\$1 stamp WITH success \$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/19 14:21
S276	1	S270 AND (success\$5 WITH replication) AND mesh NEAR2 replication AND time\$1 stamp	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/19 14:21
S277	78	(success\$4 SAME unsucces \$5) SAME replication	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/19 14:21
S278	5	S277 SAME replica	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/19 14:21
S279	4	(success\$4 OR unsucces\$5) SAME replication SAME replica SAME list	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/19 14:21
S280	4	(US-7035922-\$ or US-7072911-\$ or US-6457011-\$ or US-5832225-\$).did.	USPAT	OR	ON	2008/09/19 14:21

S281	4	("6615223").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/09/19 14:37
S282	75	("4714995" "5295256" "5442780" "5454106" "5471613" "5499371" "5615362" "5664173" "5706506" "5799306" "5806074" "5809502" "5884324" "5937409" "5937414" "5963932" "5995999" "6009422" "6012067" "6016499" "6029178" "6047284" "6052681" "6058401" "6078925" "6085188" "6122258" "6122630" "6131098" "6134559" "6154743" "6163776" "6178416" "6189000" "6199062" "6301589" "6338092" "6356913" "6412017" "6453310").PN. OR ("6615223").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/19 14:39
S283	64	S282 AND @ad<"20031231"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBML_TDB	OR	ON	2008/09/19 14:44
S284	43	S283 AND (success\$5 WITH replication)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/19 14:44
S285	46	replica\$4 (data OR file OR object) (plural\$4 OR multipl \$4) NEAR2 (node OR device OR computer) (coherent\$4 OR synch\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBML_TDB	SAME	ON	2008/09/19 14:45
S286	1	S283 AND (success\$5 WITH replication) AND S285	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/19 14:45
S287	2	("5806075").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/09/19 15:03
S288	2	("5806074").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/09/19 15:03
S289	255	synchronous ADJ replication	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/19 15:05

S290	94	S289 AND replica	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/19 15:05
S291	37	S289 AND replica AND attempt	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/19 15:05
S292	23	S291 AND @ ad< "20031231"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 15:06
S293	39	S289 AND (replica\$4 WITH attempt\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/19 15:07
S294	22	S293 AND @ ad< "20031231"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 15:07
S295	10	S293 AND @ ad< "20031231" AND commit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 15:11
S297	11	(KABRA near2 NAVIN).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 15:21
S298	492	(SYMANTEC near2 CORPORATION).as. OR (VERITAS near2 OPERATING near2 CORPORATION).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 15:22
S299	0	S297 and S298	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 15:22
S300	2	("20070005755").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/09/22 13:52
S301	2	S300 AND medium	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/22 13:53
S302	1	S300 AND (medium SAME (signal OR transmit\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/22 13:53
S303	2	("20060242282").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/09/23 09:50

S304	2	S303 AND medium	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/23 09:50
S305	2	S303 AND medium AND media	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/23 09:51
S307	2	S303 AND usable	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/23 09:51
S308	2	("6487604").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/09/23 10:20
S310	48	replica\$5 WITH incoherent	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/10/06 10:34
S311	132	replica\$5 WITH (list OR file OR log) WITH (incoherent OR coherent OR consistent OR inconsistent OR not \$1consistent)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/10/06 10:37
S312	46	replica\$4 (data OR file OR object) (plural\$4 OR multipl \$4) NEAR2 (node OR device OR computer) (coherent\$4 OR synch\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/10/06 10:37
S313	1	S311 AND S312	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/10/06 10:38
S314	43	replica\$5 WITH (list OR file OR log) WITH (incoherent OR coherent OR consistent OR inconsistent OR not \$1consistent) WITH replica	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/10/06 11:36
S315	32	S314 AND @ ad<"20031231"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 11:36
S316	15	S314 AND @ ad<"20031231" AND commit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 11:36
S317	6	(success\$4 SAME unsucces \$5) SAME replication SAME2 synch\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/10/06 16:14
S318	4571	P2P OR (peer ADJ2 peer) AND synch\$7 WITH replication	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/10/06 16:14

S319	4695	P2P OR (peer ADJ2 peer) AND (synch\$7 WITH replicat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/10/06 16:15
S320	30	(P2P OR (peer ADJ2 peer)) SAME (synch\$7 WITH replicat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/10/06 16:15
S321	8	S320 AND @ ad< "20031231"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 16:16
S322	307	(SYMANTEC near2 CORPORATION).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 18:20
S323	14	(KABRA near2 NAVIN).in. OR (BANERJEE near2 ANINDYA).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 18:21
S324	1	S322 AND S323	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 18:21
S325	2	S323 AND (replic\$4 WITH (data OR file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 18:23
S326	40	(replicat\$5 stor\$4 (node OR computer OR data\$1base) (coherent\$3)).CLM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/10/08 18:25
S327	71	(replicat\$4 (data OR file OR object) (plural\$4 OR multipl \$4) (node OR device OR computer) (coherent\$4 OR synch\$5)).CLM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/10/08 18:26
S328	28	S326 AND S327	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/10/08 18:27
S329	59	replication SAME replica SAME (connect\$5 OR communicat\$4) SAME (node OR server) SAME (origin\$ OR master)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/10/08 18:28

S330	1	S329 AND (list NEAR2 (replicat\$5 OR coherent\$6)) AND (mesh NEAR3 replicat \$4) AND (server WITH list) AND (success\$5 OR un \$1success\$5) AND (partial NEAR3 replication) AND ((each OR every) NEAR3 (node OR server OR machine)) AND (communicat\$5 WITH (direct\$5 OR bridg\$)) AND site\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/10/08 18:28
------	---	--	------------------------------------	----	----	------------------

10/9/2008 12:15:49 PM

C:\Documents and Settings\ymesfin1\USPTO\My Documents\EAST\Workspaces\10749365.wsp